




# THEOREM OF THE DAY

**The Art-Gallery Theorem** *Let  $P$  be the subset of the Euclidean plane consisting of an  $n$ -vertex simple polygon and its interior. Then  $P$  contains a finite subset  $S$ , of cardinality at most  $\lfloor n/3 \rfloor$ , such that every point of  $P$  is joined to some point of  $S$  by a straight line contained in  $P$ .*



The examples on the left are based on Steve Fisk's beautiful 1978 proof of this theorem.

If a triangulation of the polygon is properly 3-coloured (vertices coloured so that no edge joins the same colours) then any smallest colour class of vertices may form our set  $S$ . Note that 'triangulation' means adding edges between vertices so that every point of  $P$  belongs to a triangle having precisely three polygon vertices. Thus, at ❶, although  $P$  is divided up into triangles,

the triangulation is incomplete; and although the 3-colouring is valid it does not guarantee a valid set  $S$ : no vertex from the smallest colour class, the red vertices, can 'see' the point in  $P$  marked 'X'. At ❷, a complete triangulation is given. The 3-colouring is produced systematically by joining the triangles into a tree, as shown, and then traversing the tree 'depth first', 3-colouring triangle by triangle. And indeed each colour class is a valid candidate

for set  $S$  and has cardinality  $\lfloor 12/3 \rfloor = 4$ . However, not all triangulations are equal! The one at ❸ produces a set  $S$  (the blue vertices) which is optimal, having cardinality 2. So we can sometimes do better than  $\lfloor n/3 \rfloor$ ; but not always—in the example at ❹ each triangle necessarily adds an extra point to set  $S$ .

This theorem was published by Václav Chvátal in 1975 in response to a question by Victor Klee. The lower bound can, in the words of Chvátal's original paper "be interpreted as the minimum number of guards required to supervise any art gallery with  $n$  walls."

**Web link:** [www.ams.org/samplings/feature-column/fcarc-diagonals1](http://www.ams.org/samplings/feature-column/fcarc-diagonals1). See [www.ams.org/samplings/feature-column/fcarc-klee](http://www.ams.org/samplings/feature-column/fcarc-klee) for historical context.

**Further reading:** *Discrete and Computational Geometry*, by Satyan L. Devadoss and Joseph O'Rourke, Princeton University Press, 2011, chapter 1.

